

■ Crosswalk to ICD-10-CM Codes (alphabetical order)

Disorders are presented in alphabetical order. Each ICD-9-CM code is given first, followed by a slash (/) and the ICD-10-CM code.

308.3 / F43.0 *Acute Stress Disorder*

Adjustment Disorder

309.24 / F43.22	Adjustment Disorder With Anxiety
309.3 / F43.24	Adjustment Disorder With Conduct Disturbance
309.0 / F43.21	Adjustment Disorder With Depressed Mood
309.28 / F43.23	Adjustment Disorder With Mixed Anxiety / Depressed Mood
309.4 / F43.25	Adjustment Disorder With Mixed Disturbance of Emotions and Conduct
309.9 / F43.20	Unspecified Adjustment Disorder

300.22 / F40.00 *Agoraphobia*

307.1 / F50.00 *Anorexia Nervosa*

301.7 / F60.2 *Antisocial Personality Disorder*

293.84 / F06.4 *Anxiety Disorder Due to Another Medical Condition (Indicate the Medical Condition)*

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

This is a supplementary resource to *Essentials of Psychiatric Diagnosis, Revised Edition*, by Allen Frances. Copyright 2013 by The Guilford Press. All rights reserved.

Attention-Deficit / Hyperactivity Disorder

314.01 / F90.2	Attention-Deficit / Hyperactivity Disorder, Combined
314.01 / F90.1	Attention-Deficit / Hyperactivity Disorder, Predominantly Hyperactive-Impulsive
314.00 / F90.0	Attention-Deficit / Hyperactivity Disorder, Predominantly Inattentive
314.9 / F90.9	Unspecified Attention-Deficit / Hyperactivity Disorder

299.00 / F84.0 Autism Spectrum Disorder**301.82 / F60.6 Avoidant Personality Disorder****307.51 / F50.8 Binge-Eating Disorder**

See the Caution box in Chapter 13.

Bipolar I Disorder

296.56 / F31.76	Bipolar I Disorder, Most Recent Episode Depressed, In Full Remission
296.55 / F31.75	Bipolar I Disorder, Most Recent Episode Depressed, In Partial Remission
296.51 / F31.31	Bipolar I Disorder, Most Recent Episode Depressed, Mild
296.52 / F31.32	Bipolar I Disorder, Most Recent Episode Depressed, Moderate
296.53 / F31.4	Bipolar I Disorder, Most Recent Episode Depressed, Severe
296.54 / F31.5	Bipolar I Disorder, Most Recent Episode Depressed, Severe With Psychotic Features
296.50 / F31.30	Bipolar I Disorder, Most Recent Episode Depressed, Unspecified
296.40 / F31.0	Bipolar I Disorder, Most Recent Episode Hypomanic
296.46 / F31.74	Bipolar I Disorder, Most Recent Episode Manic, In Full Remission
296.45 / F31.73	Bipolar I Disorder, Most Recent Episode Manic, In Partial Remission
296.41 / F31.11	Bipolar I Disorder, Most Recent Episode Manic, Mild
296.42 / F31.12	Bipolar I Disorder, Most Recent Episode Manic, Moderate
296.43 / F31.13	Bipolar I Disorder, Most Recent Episode Manic, Severe
296.44 / F31.2	Bipolar I Disorder, Most Recent Episode Manic, Severe With Psychotic Features
296.40 / F31.10	Bipolar I Disorder, Most Recent Episode Manic, Unspecified
296.66 / F30.78	Bipolar I Disorder, Most Recent Episode Mixed, In Full Remission
296.65 / F30.77	Bipolar I Disorder, Most Recent Episode Mixed, In Partial Remission
296.61 / F30.61	Bipolar I Disorder, Most Recent Episode Mixed, Mild
296.62 / F30.62	Bipolar I Disorder, Most Recent Episode Mixed, Moderate
296.63 / F30.63	Bipolar I Disorder, Most Recent Episode Mixed, Severe
296.64 / F30.64	Bipolar I Disorder, Most Recent Episode Mixed, Severe With Psychotic Features

296.60 / F30.60	Bipolar I Disorder, Most Recent Episode Mixed, Unspecified
296.7 / F31.9	Bipolar I Disorder, Most Recent Episode Unspecified
296.06 / F30.4	Bipolar I Disorder, Single Manic Episode, In Full Remission
296.05 / F30.3	Bipolar I Disorder, Single Manic Episode, In Partial Remission
296.01 / F30.11	Bipolar I Disorder, Single Manic Episode, Mild
296.02 / F30.12	Bipolar I Disorder, Single Manic Episode, Moderate
296.03 / F30.13	Bipolar I Disorder, Single Manic Episode, Severe
296.04 / F30.2	Bipolar I Disorder, Single Manic Episode, Severe With Psychotic Features
296.00 / F30.10	Bipolar I Disorder, Single Manic Episode, Unspecified

296.89 / F31.81 Bipolar II Disorder***Bipolar Disorder Due to Another Medical Condition
(Indicate the Medical Condition)***

293.83 / F06.33	With Manic Features
293.83 / F06.33	With Manic or Hypomanic-Like Episodes
293.83 / F06.34	With Mixed Features

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

300.7 / F45.22 Body Dysmorphic Disorder**301.83 / F60.3 Borderline Personality Disorder****298.8 / F23 Brief Psychotic Disorder****307.51 / F50.2 Bulimia Nervosa****293.89 / F06.1 Catatonic Disorder Due to Another Medical Condition
(Indicate the Medical Condition)**

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

Circadian Rhythm Sleep–Wake Disorder

307.45 / G47.22	Advanced Sleep Phase Type
307.45 / G47.21	Delayed Sleep Phase Type
307.45 / G47.23	Irregular Sleep–Wake Type
307.45 / G47.24	Non-24-Hour Sleep–Wake Type
307.45 / G47.26	Shift Work Type
307.45 / G47.20	Unspecified Type

Conduct Disorder and Oppositional Defiant Disorder

312.82 / F91.2	Conduct Disorder, Adolescent-Onset Type
312.81 / F91.1	Conduct Disorder, Childhood-Onset Type

312.89 / F91.9	Conduct Disorder, Unspecified Type
313.81 / F91.3	Oppositional Defiant Disorder
312.9 / F91.9	Unspecified Disruptive Behavior Disorder

Conversion Disorder (Functional Neurological Symptom Disorder)

300.11 / F44.7	Conversion Disorder With Mixed Presentation
300.11 / F44.4	Conversion Disorder With Motor Symptoms
300.11 / F44.6	Conversion Disorder With Sensory Symptoms
300.11 / F44.5	Conversion Disorder With Seizures

301.13 / F34.0 Cyclothymic Disorder

Delirium

293.0 / F05	Delirium Due to Another Medical Condition (Indicate the Medical Condition)
	The appropriate code for the medical condition should also be used. See the Resources for Codes page.
	Substance-Induced Delirium
	Unless specified otherwise below, the ICD-10-CM codes below are to be used During Intoxication and “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Delirium During Intoxication “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.
291.0 / F10.221	If Alcohol-Induced During Intoxication
291.0 / F10.231	If Alcohol-Induced During Withdrawal
292.81 / F15.221	If Amphetamine-Induced
292.81 / F12.221	If Cannabis-Induced
292.81 / F14.221	If Cocaine-Induced
292.81 / F16.221	If Hallucinogen-Induced
292.81 / F18.221	If Inhalant-Induced
292.81 / F11.221	If Opioid-Induced During Intoxication
292.0 / F11.23	If Opioid-Induced During Withdrawal
292.81 / F16.921	If Phencyclidine-Induced
292.81 / F13.221	If Sedative, Hypnotic, or Anxiolytic-Induced During Intoxication
292.81 / F13.231	If Sedative, Hypnotic, or Anxiolytic-Induced During Withdrawal
292.81 / F19.221	If Other (or Unknown) Substance-Induced During Intoxication
292.81 / F19.231	If Other (or Unknown) Substance-Induced During Withdrawal
780.09 / R41.0	Unspecified Delirium

297.1 / F22 Delusional Disorder

301.6 / F60.7 Dependent Personality Disorder

300.6 / F48.1 *Depersonalization / Derealization Disorder****Depressive Disorder Due to Another Medical Condition
(Indicate the Medical Condition)***

293.83 / F06.31	With Depressive Features
293.83 / F06.32	With Major Depressive-Like Episode
293.83 / F06.34	With Mixed Features

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

300.12 / F44.0 *Dissociative Amnesia*

See the Caution box on this diagnosis in Chapter 17.

**300.14 / F44.81 *Dissociative Identity Disorder
(Multiple Personality Disorder)***

See the Caution box on this diagnosis in Chapter 17.

Elimination Disorders

307.7 / F98.1	Encopresis
307.6 / F98.0	Enuresis

300.19 / F68.10 *Factitious Disorder****Feeding Disorders***

307.52 / F98.3	Pica (in children)
307.53 / F98.21	Rumination Disorder

Gender Dysphoria

302.85 / F64.1	Gender Dysphoria in Adolescents or Adults
302.6 / F64.2	Gender Dysphoria in Children

300.02 / F41.1 *Generalized Anxiety Disorder***312.39 / F63.3 *Hair-Pulling Disorder (Trichotillomania)*****301.50 / F60.4 *Histrionic Personality Disorder*****300.3 / F42 *Hoarding Disorder*****327.14 / G47.14 *Hypersomnia Due to Another Medical Condition (Indicate
the Medical Condition)***

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

780.54 / G47.10 *Hypersomnolence Disorder*

The appropriate code for any associated mental disorder or medical condition should also be used. See the Resources for Codes page.

780.52 / G47.00 Insomnia Disorder

The appropriate code for any associated mental disorder or medical condition should also be used. See the Resources for Codes page.

327.01 / G47.01 Insomnia Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

Intellectual Developmental Disorder

317 / F70	Mild
318.0 / F71	Moderate
318.1 / F72	Severe
318.2 / F73	Profound

312.34 / F63.81 Intermittent Explosive Disorder**312.32 / F63.2 Kleptomania****Major Depressive Disorder***If Recurrent:*

296.31 / F33.0	Major Depressive Disorder, Recurrent, Mild
296.32 / F33.1	Major Depressive Disorder, Recurrent, Moderate
296.33 / F33.2	Major Depressive Disorder, Recurrent, Severe Without Psychotic Features
296.34 / F33.3	Major Depressive Disorder, Recurrent, Severe With Psychotic Features
296.30 / F33.9	Major Depressive Disorder, Recurrent, Unspecified

If Single Episode:

296.21 / F32.0	Major Depressive Disorder, Single Episode, Mild
296.22 / F32.1	Major Depressive Disorder, Single Episode, Moderate
296.23 / F32.2	Major Depressive Disorder, Single Episode, Severe Without Psychotic Features
296.24 / F32.3	Major Depressive Disorder, Single Episode, Severe With Psychotic Features
296.20 / F32.9	Major Depressive Disorder, Single Episode, Unspecified

Major Neurocognitive Disorder (Dementia)

The ICD-9-CM and ICD-10-CM codes below are the codes for “probable” (vs. “possible”) Dementia. And except for Substance-Induced Persisting Dementia, the appropriate code for the underlying medical condition should also be used. See the Resources for Codes page.

	Dementia Due to Alzheimer’s Disease
294.11 / F02.81	With Behavioral Disturbance

294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to Frontotemporal Lobar Degeneration
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to HIV Infection
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to Huntington's Disease
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to Lewy Body Disease
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to Parkinson's Disease
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to Prion Disease
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Dementia Due to Traumatic Brain Injury
294.11 / F02.81	With Behavioral Disturbance
294.10 / F02.80	Without Behavioral Disturbance
	Vascular Dementia
290.40 / F01.51	With Behavioral Disturbance
290.40 / F01.50	Without Behavioral Disturbance
	Substance-Induced Persisting Dementia
	The ICD-10-CM codes below are for Substance-Induced Persisting Dementia "with moderate or severe use disorder" (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Persisting Dementia "with mild use disorder" (i.e., Substance Abuse) or "without use disorder," see the Resources for Codes page.
291.2 / F10.26	If Alcohol-Induced, Amnestic-Confabulatory Type
291.2 / F10.27	If Alcohol-Induced, Nonamnestic-Confabulatory Type
292.82 / F18.27	If Inhalant-Induced
292.82 / F19.27	If Other (or Unknown) Substance-Induced
292.82 / F13.27	If Sedative, Hypnotic, or Anxiolytic-Induced

Medication-Induced Movement Disorders

333.99 / G25.71	Medication-Induced Acute Akathisia
333.72 / G24.02	Medication-Induced Acute Dystonia
333.1 / G25.1	Medication-Induced Postural Tremor
332.1 / G21.11	Neuroleptic-Induced Parkinsonism
333.92 / G21.0	Neuroleptic Malignant Syndrome
332.1 / G21.19	Other Medication-Induced Parkinsonism
333.99 / G25.71	Tardive Akathisia
333.85 / G24.01	Tardive Dyskinesia
333.72 / G24.09	Tardive Dystonia
333.90 / G25.9	Unspecified Medication-Induced Movement Disorder

Mild Neurocognitive Disorder

The codes for Mild Neurocognitive Disorder diagnoses are not included here, since I do not recommend the use of this category in DSM-5. See the Caution box in Chapter 10.

301.81 / F60.81 Narcissistic Personality Disorder**307.47 / F51.5 Nightmare Disorder****Non-Rapid Eye Movement Sleep Arousal Disorder**

307.46 / F51.4	Sleep Terror Type
307.46 / F51.3	Sleepwalking Type

294.8 / F06.8 Obsessive–Compulsive and Related Disorder Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

300.3 / F42 Obsessive–Compulsive Disorder**301.4 / F60.5 Obsessive–Compulsive Personality Disorder****Other Problems**

V62.3 / Z55.9	Academic Problem
V62.4 / Z60.3	Acculturation Problem
V71.01 / Z72.811	Adult Antisocial Behavior
780.97 / R41.82	Age-Related Cognitive Decline
995.29 / T43.205	Antidepressant Discontinuation Syndrome
V62.82 / Z63.4	Bereavement
V62.89 / R41.83	Borderline Intellectual Functioning
V71.02 / Z72.810	Child or Adolescent Antisocial Behavior
V65.2 / Z76.5	Malingering

V15.81 / Z91.19	Noncompliance With Treatment
V62.29 / Z56.9	Occupational Problem
995.20 / T50.905	Other Adverse Effect of Medication
V62.89 / Z60.0	Phase of Life Problem
V62.89 / Z71.81	Religious or Spiritual Problem

Panic Disorder

300.21 / F40.01	Panic Disorder With Agoraphobia
300.01 / F41.0	Panic Disorder Without Agoraphobia

301.0 / F60.0 Paranoid Personality Disorder**Paraphilic Disorders**

302.4 / F65.2	Exhibitionistic Disorder
302.81 / F65.0	Fetishistic Disorder
302.89 / F65.81	Frotteuristic Disorder
302.2 / F65.4	Pedophilic Disorder
302.83 / F65.51	Sexual Masochism Disorder
302.84 / F65.52	Sexual Sadism Disorder
302.3 / F65.1	Transvestic Disorder
302.9 / F65.9	Unspecified Paraphilic Disorder
302.82 / F65.3	Voyeuristic Disorder

312.31 / F63.0 Pathological Gambling**300.4 / F34.1 Persistent Depressive Disorder (Dysthymia)****310.1 / F07.0 Personality Change Due to Another Medical Condition (Indicate the Medical Condition)**

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

309.81 / F43.10 Posttraumatic Stress Disorder**625.4 / N94.3 Premenstrual Dysphoric Disorder****Problems Related to Abuse or Neglect**

The following list reflects some condensation of the now very complex ICD-10-CM codes. For additional codes, see Resources for Codes.

995.52 / T74.02X	Neglect of Child (focus on confirmed event)
995.52 / T76.02X	Neglect of Child (focus on suspected event)
995.81 / T74.11X	Physical Abuse of Adult (focus on confirmed event)
995.81 / T76.11X	Physical Abuse of Adult (focus on suspected event)
995.54 / T74.12X	Physical Abuse of Child (focus on confirmed event)
995.54 / T76.12X	Physical Abuse of Child (focus on suspected event)

V62.83 / Z69.82	Physical Abuse or Sexual Abuse of Nonpartner Adult (focus on counseling for perpetrator)
V65.49 / Z69.81	Physical Abuse or Sexual Abuse of Nonpartner Adult (focus on counseling for victim)
V61.12 / Z69.12	Physical Abuse or Sexual Abuse of Spouse / Partner (focus on counseling for perpetrator)
V61.11 / Z69.11	Physical Abuse or Sexual Abuse of Spouse / Partner (focus on counseling for victim)
V62.83 / Z69.021	Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for nonparental perpetrator)
V61.22 / Z69.011	Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for parental perpetrator)
V61.21 / Z69.020	Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for victim, nonparental abuse)
V61.21 / Z69.010	Physical Abuse, Sexual Abuse, or Neglect of Child (focus on counseling for victim, parental abuse)
995.83 / T74.21X	Sexual Abuse of Adult (focus on confirmed event)
995.83 / T76.21X	Sexual Abuse of Adult (focus on suspected event)
995.53 / T74.22X	Sexual Abuse of Child (focus on confirmed event)
995.53 / T76.22X	Sexual Abuse of Child (focus on suspected event)

316 / F54***Psychological Factors Affecting Medical Condition******Psychotic Disorder Due to Another Medical Condition
(Indicate the Medical Condition)***

293.81 / F06.2	With Delusions
293.82 / F06.0	With Hallucinations

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

312.33 / F63.1***Pyromania*****327.42 / G47.52*****Rapid Eye Movement Sleep Behavior Disorder******Relational Problems***

V61.20 / Z62.820	Parent–Child Relational Problem
V61.10 / Z63.0	Partner Relational Problem
V61.8 / Z62.891	Sibling Relational Problem
V62.81 / Z63.9	Unspecified Relational Problem

Schizoaffective Disorder

295.70 / F25.0	Bipolar Type
295.70 / F25.1	Depressive Type

301.20 / F60.1 Schizoid Personality Disorder**295.90 / F20.9 Schizophrenia****295.40 / F20.81 Schizophreniform Disorder****301.22 / F21 Schizotypal Personality Disorder****Sexual Dysfunctions**

302.74 / F52.32 Delayed Ejaculation

302.75 / F52.4 Early Ejaculation

302.72 / F52.21 Erectile Disorder

302.73 / F52.31 Female Orgasmic Disorder

302.72 / F52.22 Female Sexual Interest / Arousal Disorder

302.76 / F52.6 Genito-Pelvic Pain / Penetration Disorder

302.71 / F52.0 Male Hypoactive Sexual Desire Disorder

Substance-Induced Sexual Dysfunction

The ICD-10-CM codes below are for Substance-Induced Sexual Dysfunction “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Sexual Dysfunction “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.89 / F10.281 If Alcohol-Induced

292.89 / F15.281 If Amphetamine-Induced

292.89 / F14.281 If Cocaine-Induced

292.89 / F11.281 If Opioid-Induced

292.89 / F13.281 If Sedative, Hypnotic, or Anxiolytic-Induced

292.89 / F19.281 If Other (or Unknown) Substance-Induced

Sexual Dysfunction Due to Another Medical Condition (Indicate the Medical Condition)

The appropriate code for the medical condition should also be used. See the Resources for Codes page.

607.84 / N52.9 Erectile Disorder Due to Another Medical Condition

625.8 / N94.89 Female Sexual Interest / Arousal Disorder Due to Another Medical Condition

625.0 / N94.1 Genito-Pelvic Pain / Penetration Disorder Due to Another Medical Condition

608.89 / N50.8 Male Hypoactive Sexual Desire Disorder Due to Another Medical Condition

302.70 / F52.9 Unspecified Sexual Dysfunction

297.3 / F24 Shared Psychotic Disorder (Folie à Deux)**300.23 / F40.10 Social Anxiety Disorder (Social Phobia)**

309.21 / F93.0 Separation Anxiety Disorder**300.82 / F45.1 Somatic Symptom Disorder**

See the Caution box in Chapter 16.

Specific Learning Disorder

315.1 / F81.2	Mathematics
315.00 / F81.0	Reading
315.9 / F81.9	Unspecified
315.2 / F81.81	Written Expression

Specific Phobia

300.29 / F40.218	Animal
300.29 / F40.230	Blood–Injection–Injury, Fear of Blood
300.29 / F40.231	Blood–Injection–Injury, Fear of Injections and Transfusions
300.29 / F40.233	Blood–Injection–Injury, Fear of Injury
300.29 / F40.232	Blood–Injection–Injury, Fear of Other Medical Care
300.29 / F40.228	Natural Environment
300.29 / F40.248	Situational
300.29 / F40.298	Other

Substance Abuse

305.00 / F10.10	Alcohol Abuse
305.70 / F15.10	Amphetamine Abuse
305.20 / F12.10	Cannabis Abuse
305.60 / F14.10	Cocaine Abuse
305.30 / F16.10	Hallucinogen Abuse
305.90 / F18.10	Inhalant Abuse
305.50 / F11.10	Opioid Abuse
305.90 / F16.10	Phencyclidine Abuse
305.40 / F13.10	Sedative, Hypnotic, or Anxiolytic Abuse
305.90 / F19.10	Other (or Unknown) Substance Abuse (Indicate Substance If Known)

Substance Dependence

303.90 / F10.20	Alcohol Dependence
304.40 / F15.20	Amphetamine Dependence
304.30 / F12.20	Cannabis Dependence
304.20 / F14.20	Cocaine Dependence
304.50 / F16.20	Hallucinogen Dependence

304.60 / F18.20	Inhalant Dependence
304.00 / F11.20	Opioid Dependence
304.90 / F19.20	Other (or Unknown) Substance Dependence (Indicate Substance If Known)
304.60 / F16.20	Phencyclidine Dependence
304.80 / F19.20	Polysubstance Dependence
304.10 / F13.20	Sedative, Hypnotic, or Anxiolytic Dependence
305.1 / F17.200	Tobacco Dependence

Substance-Induced Anxiety Disorder

The ICD-10-CM codes below are for Substance-Induced Anxiety Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Anxiety Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.89 / F10.280	If Alcohol-Induced
292.89 / F15.280	If Amphetamine-Induced
292.89 / F15.280	If Caffeine-Induced
292.89 / F12.280	If Cannabis-Induced
292.89 / F14.280	If Cocaine-Induced
292.89 / F16.280	If Hallucinogen-Induced
292.89 / F18.280	If Inhalant-Induced
292.89 / F19.280	If Other (or Unknown) Substance-Induced
292.89 / F11.288	If Opioid-Induced
292.89 / F16.280	If Phencyclidine-Induced
292.89 / F13.280	If Sedative, Hypnotic, or Anxiolytic-Induced

Substance-Induced Bipolar Disorder

The ICD-10-CM codes below are for Substance-Induced Bipolar Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Bipolar Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.89 / F10.24	If Alcohol-Induced
292.84 / F15.24	If Amphetamine-Induced
292.84 / F14.24	If Cocaine-Induced
292.84 / F16.24	If Hallucinogen-Induced
292.84 / F11.24	If Opioid-Induced
292.84 / F19.24	If Other (or Unknown) Substance-Induced
292.84 / F16.24	If Phencyclidine-Induced
292.84 / F13.24	If Sedative, Hypnotic, or Anxiolytic-Induced

Substance-Induced Depressive Disorder

The ICD-10-CM codes below are for Substance-Induced Depressive Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Depressive Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.89 / F10.24	If Alcohol-Induced
292.84 / F15.24	If Amphetamine-Induced
292.84 / F14.24	If Cocaine-Induced
292.84 / F16.24	If Hallucinogen-Induced
292.84 / F18.24	If Inhalant-Induced
292.84 / F19.24	If Other (or Unknown) Substance-Induced
292.84 / F11.24	If Opioid-Induced
292.84 / F16.24	If Phencyclidine-Induced
292.84 / F13.24	If Sedative, Hypnotic, or Anxiolytic-Induced

Substance-Induced Mental Disorders

The listing below includes only the Substance-Induced Mental Disorders that are *not* listed with the other types of disorders in this Crosswalk (Depressive Disorders, Bipolar Disorders, etc.).

291.9 / F10.99	Unspecified Alcohol-Related Disorder
292.9 / F15.99	Unspecified Amphetamine-Related Disorder
292.9 / F15.99	Unspecified Caffeine-Related Disorder
292.9 / F12.99	Unspecified Cannabis-Related Disorder
292.9 / F14.99	Unspecified Cocaine-Related Disorder
292.9 / F16.99	Unspecified Hallucinogen-Related Disorder
292.9 / F18.99	Unspecified Inhalant-Related Disorder
292.9 / F11.99	Unspecified Opioid-Related Disorder
292.9 / F16.99	Unspecified Phencyclidine-Related Disorder
292.9 / F13.99	Unspecified Sedative, Hypnotic, or Anxiolytic-Related Disorder
292.9 / F17.209	Unspecified Tobacco-Related Disorder
292.9 / F19.99	Unspecified Other (or Unknown) Substance-Related Disorder

Substance-Induced Obsessive–Compulsive and Related Disorder

The ICD-10-CM codes below are for Substance-Induced Obsessive–Compulsive and Related Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Obsessive–Compulsive and Related Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

292.89 / F15.288	If Amphetamine-Induced
292.89 / F14.288	If Cocaine-Induced
292.89 / F19.288	If Other (or Unknown) Substance-Induced

Substance-Induced Psychotic Disorder

The ICD-10-CM codes below are for Substance-Induced Psychotic Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Psychotic Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.9 / F10.259	If Alcohol-Induced
292.9 / F15.259	If Amphetamine-Induced
292.9 / F12.259	If Cannabis-Induced
292.9 / F14.259	If Cocaine-Induced
292.9 / F16.259	If Hallucinogen-Induced
292.9 / F18.259	If Inhalant-Induced
292.9 / F11.259	If Opioid-Induced
292.9 / F16.259	If Phencyclidine-Induced
292.9 / F13.259	If Sedative, Hypnotic, or Anxiolytic-Induced
292.9 / F19.259	If Other (or Unknown) Substance-Induced

Substance-Induced Sleep–Wake Disorder

The ICD-10-CM codes below are for Substance-Induced Sleep–Wake Disorder “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance-Induced Sleep–Wake Disorder “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

291.82 / F10.282	If Alcohol-Induced
292.85 / F15.282	If Amphetamine-Induced
292.85 / F15.282	If Caffeine-Induced
292.85 / F12.288	If Cannabis-Induced
292.85 / F14.282	If Cocaine-Induced
292.85 / F11.282	If Opioid-Induced
292.85 / F13.282	If Sedative, Hypnotic, or Anxiolytic-Induced
292.85 / F17.208	If Tobacco-Induced
292.85 / F19.282	If Other (or Unknown) Substance-Induced

Substance Intoxication

Except for Caffeine Intoxication, the ICD-10-CM codes below are for Substance Intoxication “with moderate or severe use disorder” (i.e., Substance Dependence). For ICD-10-CM codes for Substance Intoxication “with mild use disorder” (i.e., Substance Abuse) or “without use disorder,” see the Resources for Codes page.

303.00 / F10.229	Alcohol Intoxication
292.89 / F15.229	Amphetamine Intoxication
305.90 / F15.929	Caffeine Intoxication
292.89 / F12.229	Cannabis Intoxication, Without Perceptual Disturbances
292.89 / F12.222	Cannabis Intoxication, With Perceptual Disturbances

292.89 / F14.229	Cocaine Intoxication
292.89 / F16.229	Hallucinogen Intoxication
292.89 / F18.229	Inhalant Intoxication
292.89 / F11.229	Opioid Intoxication
292.89 / F16.229	Phencyclidine Intoxication
292.89 / F13.229	Sedative, Hypnotic, or Anxiolytic Intoxication
292.89 / F19.229	Other (or Unknown) Substance Intoxication (Indicate Substance If Known)

Substance Withdrawal

Except for Caffeine Withdrawal, the ICD-10-CM codes below are for Substance Withdrawal “with moderate or severe use disorder” (i.e., Substance Dependence), since Substance Withdrawal cannot be coded “with mild use disorder” or “without use disorder” in these cases.

291.81 / F10.239	Alcohol Withdrawal, Without Perceptual Disturbances
291.81 / F10.232	Alcohol Withdrawal, With Perceptual Disturbances
292.0 / F15.23	Amphetamine Withdrawal
292.0 / F15.93	Caffeine Withdrawal
292.0 / F12.288	Cannabis Withdrawal
292.0 / F14.23	Cocaine Withdrawal
292.0 / F11.23	Opioid Withdrawal
292.0 / F13.239	Sedative, Hypnotic, or Anxiolytic Withdrawal, Without Perceptual Disturbances
292.0 / F13.232	Sedative, Hypnotic, or Anxiolytic Withdrawal, With Perceptual Disturbances
292.0 / F17.203	Tobacco Withdrawal
292.0 / F19.239	Other (or Unknown) Substance Withdrawal

Tic Disorders

307.22 / F95.1	Chronic Motor or Vocal Tic Disorder
307.21 / F95.0	Provisional Tic Disorder
333.3 / G25.61	Substance-Induced Tic Disorder (Indicate Substance)
333.3 / G25.69	Tic Disorder Due to Another Medical Condition (Indicate the Medical Condition)
	The appropriate ICD-10-CM code for the medical condition should also be used. See the Resources for Codes page.
307.23 / F95.2	Tourette’s Disorder
307.20 / F95.9	Unspecified Tic Disorder

300.00 / F41.9 **Unspecified Anxiety Disorder**

296.80 / F31.9 **Unspecified Bipolar Disorder**

311 / F32.9 **Unspecified Depressive Disorder**

- 300.15 / F44.9** ***Unspecified Dissociative Disorder***
- 307.50 / F50.9** ***Unspecified Eating Disorder***
- 780.54 / G47.10** ***Unspecified Hypersomnolence Disorder***
- 312.30 / F63.9** ***Unspecified Impulse Control Disorder***
- 780.52 / G47.00** ***Unspecified Insomnia Disorder***
- 296.90 / F39** ***Unspecified Mood Disorder***
- 294.8 / R41.9** ***Unspecified Neurocognitive Disorder***
- 300.00 / F42** ***Unspecified Obsessive–Compulsive and Related Disorder***
- 301.9 / F60.9** ***Unspecified Personality Disorder***
- 298.9 / F29** ***Unspecified Psychotic Disorder***
- 780.57 / G47.30** ***Unspecified Sleep Apnea***
As noted in Chapter 14, I do not consider Sleep Apnea a mental disorder.
For codes for other types of Sleep Apnea, see the Resources for Codes
page.
- 780.59 / G47.9** ***Unspecified Sleep–Wake Disorder***
- 309.89 / F43.8** ***Unspecified Trauma- and Stressor-Related Disorder***